

```

ro.build.date=Fri Mar 23 22:57:28 CST 2012
ro.build.date.utc=1332514648
# begin of volatile config
# end of volatile config

# begin build properties
# autogenerated by buildinfo.sh
ro.build.id=HuaweiU8815C02B884
#ro.build.display.id=msm7627a-eng 2.3.5 GRJ90 eng.hongtao.20111011.043830 test-keys
#ro.build.version.incremental=eng.hongtao.20111011.043830
ro.build.version.sdk=10
ro.build.version.codename=REL
ro.build.version.release=2.3.6
ro.build.type=eng
ro.build.user=huawei
ro.build.host=huawei-desktop
#ro.build.tags=test-keys
ro.product.model=U8815
ro.product.brand=Huawei
# /*< DTS2011112803734 leiwei 20111128 Begin*/
ro.product.name=U8815
# /*< DTS2011112803734 leiwei 20111128 Begin*/
#DTS2011120302102 leiwei begin
ro.product.device=hwu8815
#DTS2011120302102 leiwei end
#DTS2011110302335 leiwei begin
ro.product.board=U8815
#DTS2011110302335 leiwei end
ro.product.cpu.abi=armeabi-v7a
ro.product.cpu.abi2=armeabi
ro.product.manufacturer=HUAWEI
ro.product.locale.language=en
ro.product.locale.region=US
ro.wifi.channels=
ro.board.platform=msm7k
# ro.build.product is obsolete; use ro.product.device
ro.build.product=msm7627a
# Do not try to parse ro.build.description or .fingerprint
#ro.build.description=msm7627a-eng 2.3.5 GRJ90 eng.hongtao.20111011.043830 test-keys
#ro.build.fingerprint=qcom/msm7627a/msm7627a:2.3.5/GRJ90/eng.hongtao.20111011.043830:eng/test-keys
# end build properties
#
# system.prop for surf
#

rild.libpath=/system/lib/libril-qc-1.so
rild.libargs=-d /dev/smd0
# /*<DTS2010100802374 yangqinghua & wuwei 20101009 Begin*/
net.ntp.server=time.windows.com
net.ntp.server2=time.nist.gov
net.ntp.time=0
net.ntp.timereference=0
ro.config.hwdrm=true
#DTS2011021202775 gaoyun 20110214 begin
ro.config.hwdrm.set_contact=false
#DTS2011021202775 gaoyun 20110214 end
# /*DTS2010100802374 yangqinghua & wuwei 20101009 End*>*/
#/*DTS2011100801389 lijiaingang&kf49083 20111017 begin*/
ro.config.hw_DRMonlyFL=true
#/*DTS2011100801389 lijiaingang&kf49083 20111017 end*/
persist.rild.nitz_plmn=
persist.rild.nitz_long_ons_0=
persist.rild.nitz_long_ons_1=
persist.rild.nitz_long_ons_2=
persist.rild.nitz_long_ons_3=
persist.rild.nitz_short_ons_0=
persist.rild.nitz_short_ons_1=
persist.rild.nitz_short_ons_2=
persist.rild.nitz_short_ons_3=
ril.subscription.types=NV,RUIM
DEVICE_PROVISIONED=1
debug.sf.hw=1
debug.composition.7x27A.type=mdp
debug.composition.7x25A.type=mdp
# DTS2011070104586 wangzhenzhong 2011-07-01 begin
dalvik.vm.heapsize=38m
# DTS2011070104586 wangzhenzhong 2011-07-01 end
#
# system props for the cne module
#
persist.cne.UseCne=none
persist.cne.bat.range.low.med=30
persist.cne.bat.range.med.high=60
persist.cne.loc.policy.op=/system/etc/OperatorPolicy.xml
persist.cne.loc.policy.user=/system/etc/UserPolicy.xml
persist.cne.bwbased.rat.sel=false
persist.cne.snsr.based.rat.mgt=false
persist.cne.bat.based.rat.mgt=false
persist.cne.rat.acq.time.out=30000
persist.cne.rat.acq.retry.tout=0
persist.cne.fmc.mode=false
persist.cne.fmc.init.time.out=30
persist.cne.fmc.comm.time.out=130
persist.cne.fmc.retry=false

#
# system props for the MM modules
#
media.stagefright.enable-player=true
media.stagefright.enable-meta=false

```

```

media.stagefright.enable-scan=true
media.stagefright.enable-http=true
media.stagefright.enable-fma2dp=true
media.stagefright.enable-aac=true
media.stagefright.enable-qcp=true

#
# system prop for opengles version
#
ro.opengles.version=131072

#
# system props for the data modules
#
ro.use_data_netmgrd=true
persist.data.ds_fmc_app.mode=0

#
# system props for IMS module
#
persist.ims.regmanager.mode=0

#
# system prop for requesting Master role in incoming Bluetooth connection.
#
ro.bluetooth.request.master=true

#
# system prop for Bluetooth FTP profile
#
ro.qualcomm.bluetooth.ftp=true

#
# system prop for Bluetooth SAP profile
#
ro.qualcomm.bluetooth.sap=true

#
# system prop for Bluetooth Auto connect for remote initiated connections
#
ro.bluetooth.remote.autoconnect=true

#
#system property for Bluetooth discoverability timeout in seconds
#0: Always discoverable

# DTS2011111803474 leiwei 20111207 begin
debug.bt.discoverable_time=-1
# DTS2011111803474 leiwei 20111207 end

#
# System prop to enable/disable OMH. Enabled by default
#
persist.omh.enabled=1

#System prop to enable ehrpd capability
ro.config.ehrpd=true

# System property for cabl
ro.qualcomm.cabl=1

#
#System prop to determine availability of
#analog fm path
#
ro.fm.analogpath.supported=true
#DTS2010060300084 xiongshiyi 00165767 20100603 begin
#
#System property for FM transmitter
#
ro.fm.transmitter=false

#
#System property for single instance recording
#
ro.fm.mulinst.recording.support=false
ro.config.KeyPassToUser=true
#System property for msm
#
ro.hw_plat=7x27a
/* < DTS2011093001538 yangyuan 20110930 begin */
ro.config.fm_type=libbcmfm_if
/* DTS2011093001538 yangyuan 20110930 end > */
#DTS2010060300084 xiongshiyi 00165767 20100603 end

ro.sf.lcd_density=240

# Begin:DTS2010071300747 add Qualifier opt added by h00152727 20100713
ro.config.hw_opta=
ro.config.hw_optb=
# End :DTS2010071300747 add Qualifier opt added by h00152727 20100713

# DTS2011012104419 s62695 for quick power on begin
ro.config.hw_quickpoweron=true
persist.sys.quickpoweron=normal
persist.sys.animationstart=false
ro.config.hw_poanimation=5000
# DTS2011012104419 s62695 for quick power on end

# <DTS2011021202969 m00170653 20110212 Begin
persist.sys.powerup_reason=

```

```

# /* < DTS2011050503771 m00170653 20110513 begin */
# delete persist.sys.user_set_airplane=
# /* DTS2011050503771 m00170653 20110513 end > */
ro.poweroff_alarm=true
# DTS2011021202969 m00170653 20110212 End>

#DTS2011050304028 100176215 20110506 Begin
persist.sys.actualpoweron=true
#DTS2011050304028 100176215 20110506 End

#
# ADDITIONAL_BUILD_PROPERTIES
#

ro.config.alarm_alert=Alarm_Classic.ogg
#DTS2011032102567 hanmincheng 20110411 begin
#delete ro.kernel.android.checkjni=1 to disable jni check
#DTS2011032102567 hanmincheng 20110411 end
ro.setupwizard.mode=OPTIONAL
net.bt.name=Android
dalvik.vm.stack-trace-file=/data/anr/traces.txt

#DTS2010081400204 by h00152727&x00165767 20100814 begin
ro.config.hw_addsettingsdbex=1
#DTS2010081400204 by h00152727&x00165767 20100814 end

# DTS2010092701023 mengxiaokun00172620 20100930 begin
# allow to tear down mobile data connection when device is idle
ro.config.hw_power_saving=true
# DTS2010092701023 mengxiaokun00172620 20100930 end
# <DTS2011012101400 wuxinrong 20110121 Frog for Gingerbread, sync DTS2010112303861 begin
# DTS2011060303065 lizhenlong 20110602 begin
ro.config.PopupTwink=false
ro.config.SetStatusbarText=false
# Whether use the way of resource customize
ro.config.hw_isCustomize=true
# The Customize Type we need,01:C8600-FROG,02-TMO
ro.config.hw_customizeType=02
# DTS2011060303065 lizhenlong 20110602 end
# DTS2011012101400 wuxinrong 20110121 Frog for Gingerbread, sync DTS2010112303861 end>

# DTS2010072001659 kange159607 20100720 begin
# allow device to sent and receive MMS even data service is disabled while this variable is true
ro.config.hw_always_allow_mms=false
# DTS2010072001659 kange159607 20100720 end

# <DTS2011012801697 by xiongshiyi 20110125 BEGIN
ro.config.hw_virtualsdcad=true
# DTS2011012801697 by xiongshiyi 20110125 END>

# DTS2011032202087 s00159653 20110322 begin
ro.config.hw_GSensorOptimize=true
# DTS2011032202087 s00159653 20110322 end

# <DTS2010111202622 mengxiaokun00172620 20101112 begin
ro.config.hw_proximity=true
# DTS2010111202622 mengxiaokun00172620 20101112 end>

# DTS2011030204519 s00159653 20110310 Begin
ro.config.hw_menu_unlockscreen=false
# DTS2011030204519 s00159653 20110310 End

# DTS2010090602461 kange159607 20100906 begin
ro.config.hw_RemindWifiToPdp=true
# DTS2010090602461 kange159607 20100906 end

# <DTS2010112601989 wangshoucheng00135276 20101129 begin
ro.config.hw_lockscreen=true
# DTS2010112601989 wangshoucheng00135276 20101129 end>
# DTS2011041303563 xiongshiyi 20110411 BEGIN
ro.hw_oom_app=com.android.mms
# DTS2011041303563 xiongshiyi 20110411 END

ro.config.hw_lockscreen_tip=false

#<DTS2010092801811 GPSXtra y142196&q170606 20100928 begin
ro.config.xtra_support=true
# DTS2010092801811 GPSXtra y142196&q170606 20100928 end>
#DTS2011093002512 jinsu 20110930 begin
#DTS2011101806762 jiayanhong176905 20111019 begin
ro.config.hw_globalVersion=true
#DTS2011101806762 jiayanhong176905 20111019 end
#DTS2011093002512 jinsu 20110930 end

# DTS2011051604410 m00170653 20110530 begin
# DTS2011120805902 leiwei 20111209 begin
ro.config.AM_PM_STYLE=1
# DTS2011120805902 leiwei 20111209 end
# DTS2011051604410 m00170653 20110530 end

# DTS2011051100003 r00182811 20110517 For safemode BEGIN
ro.config.move_up_display=true
# DTS2011051100003 r00182811 20110517 For safemode END

#/*<DTS2010091000150 yangzijin 20100921 begin
ro.opengles.version=131072
#DTS2010091000150 yangzijin 20100921 end>*/

ro.config.hw_reject_message=true
ro.config.memtype=true
ro.config.dualmic=true

```

```

# DTS2011110106085 xiuHongju 20111101 begin
# af controller enable switcher
ro.config.camera.afctl.enable=true
# DTS2011110106085 xiuHongju 20111101 end
# DTS2011110805882 qilei 2011-11-08 begin
keyguard.no_require_sim=true
# DTS2011110805882 qilei 2011-11-08 end
#DTS2011012800517 jinhui 20110124 begin
hw_internal_sd=true
#DTS2011012800517 jinhui 20110124 end
# <DTS2011012701994 mengxiaokun00172620 20110127 begin
ro.config.hw_ascend_ringtones=true
# DTS2011012701994 mengxiaokun00172620 20110127 end>
# <DTS2011012706064 wangzhenKF40344 20110128 begin
ro.config.hw_toolbox=true
# DTS2011012706064 wangzhenKF40344 20110128 end>
#7x25A/27A begin
ro.config.hw_email_signature=Sent from Huawei Mobile
#7x25A/27A end
# <DTS201111601972 zengpeiyu 20111116 begin
ro.nfc.port=I2C
# DTS201111601972 zengpeiyu 20111116 end>

ro.config.hw_sns_acc_support=0
ro.config.hw_sns_acc_shortcut=0
ro.config.hw_sns_cloud_support=0
ro.config.hw_sns_message=0
ro.config.hw_sns_calendar=0
# <DTS201112104694 zengpeiyu synchronize DTS2011101700513 2011-11-21 begin
# card simulation menu will display if this prop is set to true
ro.config.nfc.card_setting=false

# DTS201112104694 zengpeiyu synchronize DTS2011101700513 2011-11-21 end>
# /*<DTS2010121704813 jinhui 20101228 begin */
ro.config.do_sdcard_upgrade=true
# /* DTS2010121704813 jinhui 20101228 end>*/
# /*<DTS2011112505079 zhubo 20111125 Begin*/
# /*<DTS2011112807181 leiwei 20111128 Begin*/
ro.config.imageneed24bit=true
# /*<DTS2011112807181 leiwei 20111128 End*/
# /*DTS2011112505079 zhubo 20111125 End>*/
# DTS2011120202647 yanzhennan 20111202 begin
ro.config.hw_eapsim=false
# DTS2011120202647 yanzhennan 20111202 end
# DTS2011113002484 hanguliang 20111130 begin
ro.config.support24bitdisplay=false
# DTS2011113002484 hanguliang 20111130 end
# <DTS2011120601134 shenjinhua00171968 20111206 begin
ro.config.hw_optimizeBoot=true
# DTS2011120601134 shenjinhua00171968 20111206 end>
# DTS2011120702655 zengpeiyu 2011-12-6 begin
ro.config.hw_tether_dun_enable=false
# DTS2011120702655 zengpeiyu 2011-12-6 end
# /*DTS2011111804031 20111201 Begin*/
ro.config.bro_about=true
ro.config.bro_exit=true
# /*DTS2011111804031 20111201 End*/
#DTS2011112204328 duanwei 20111206 begin
ro.config.hwft_PinPukUnlockscre=true
ro.config.hw_pukTriedTenTimes=false
#DTS2011112204328 duanwei 20111206 end
#DTS2011121202759 leiwei 20111212 begin
ro.com.google.clientidbase=android-huawei
ro.com.google.clientidbase.ms=android-huawei
ro.com.google.clientidbase.yt=android-huawei
ro.com.google.clientidbase.am=android-huawei
ro.com.google.clientidbase.gmm=android-huawei
#DTS2011121202759 leiwei 20111212 end
#DTS2011121506060 duanwei 20111215 begin
ro.telephony.default_network=0
#DTS2011121506060 duanwei 20111215 end
# /* < DTS2011121406766 leiwei 20120109 begin */
ro.config.hw_uaprof=http://wap1.huawei.com/uaprof/HuaweiU8815WCDMA-NORMAL.xml
ro.config.hw_use_browser_ua=true
ro.config.hw_browser_ua3g=http://wap1.huawei.com/uaprof/HuaweiU8815WCDMA-NORMAL.xml
ro.config.hw_browser_ua2g=http://wap1.huawei.com/uaprof/HuaweiU8815GPRS-NORMAL.xml
# /* < DTS2011121406766 leiwei 20120109 end */
#DTS2012011801552 leiwei 20120118 begin
ro.config.hwft_PinPukUnlockscre=true
ro.config.hw_pukTriedTenTimes=true
#DTS2012011801552 leiwei 20120118 end
#DTS2012020606132 leiwei 20120207 begin
ro.RescueStarter=1
ro.config.hw_gcf_mms=true
#DTS2012020606132 leiwei 20120207 end
ro.config.notification_sound=Glory.ogg
ro.config.ringtone=Huawei_Tune.ogg
# DTS2012020708159 lishilong 20120214 begin
ro.config.location=1
# DTS2012020708159 lishilong 20120214 end
# DTS2012020704433 heyuetong 20120214 begin
ro.config.packetCallCheckFDN=true
# DTS2012020704433 heyuetong 20120214 end
ro.config.mmsEventSupport=true
#DTS2012022704145 leiwei 20120227 begin
ro.config.hw_showSimName=true
#DTS2012022704145 leiwei 20120227 end

ro.build.description=U8815-user 2.3.6 GRJ90 C02B884 release-keys
ro.build.display.id=U8815V100R001C02B884

```

```
ro.build.fingerprint=Huawei/U8815/hwu8815:2.3.6/HuaweiU8815C02B884/C02B884:user/ota-rel-keys,release-keys
ro.build.tags=release-keys
ro.build.version.incremental=C02B884
ro.config.hw_appfsversion=U8815V100R001C02B884_SYSIMG
ro.config.hw_appsbootversion=U8815V100R001C02B884_APPSB00T
ro.config.hw_appversion=U8815V100R001C02B884_KERNEL
```