

Saved Filters All messages (no filters)

<main.txt> Search for messages. Accepts Java regexes. Prefix with pid:, tag: or text: to limit scope.

Level	Time	PID	TID	Tag	Text
I	01-01 16:43:41.152	121	121	pcm service	received event(PCM EVENT USB UNPLUG) in state(PCM STATE USB UNPLUG)
I	01-01 16:43:41.152	121	121	pcm service	Ignoring the event PCM EVENT USB UNPLUG in USB UNPLUG STATE
I	01-01 16:43:41.152	121	121	pcm service	Moved to state(PCM STATE USB UNPLUG)
I	01-01 16:43:41.152	120	120	dun service	received event: DUN EVENT USB UNPLUG
I	01-01 16:43:41.152	120	120	dun service	received event(DUN EVENT USB UNPLUG) in state(DUN STATE USB UNPLUG)
I	01-01 16:43:41.152	120	120	dun service	Ignoring the event DUN EVENT USB UNPLUG in USB UNPLUG STATE
I	01-01 16:43:41.152	120	120	dun service	Moved to state(DUN STATE USB UNPLUG)
D	01-01 16:43:41.252	10728	10728	BoxService	CheckConnectionTask.onPreExecute() url=""
D	01-01 16:43:41.262	10728	10897	ComSettingsChecker	checkNetworkConnectivity() - mLastCheckedNetworkType == 1
D	01-01 16:43:41.262	10728	10897	ComSettingsChecker	mLastCheckedSsid == BeNeckarWLAN#2
D	01-01 16:43:41.262	10728	10897	ComSettingsChecker	return: NO PROBLEM
W	01-01 16:43:41.272	10728	11289	BoxFinder	SsdpDiscoveryRunnable: failed to discover devices.
W	01-01 16:43:41.272	10728	11289	System.err	java.net.SocketException: Permission denied
W	01-01 16:43:41.272	10728	11289	System.err	at org.apache.harmony.luni.platform.OSNetworkSystem.socket(Native Method)
W	01-01 16:43:41.272	10728	11289	System.err	at dalvik.system.BlockGuard\$WrappedNetworkSystem.socket(BlockGuard.java:335)
W	01-01 16:43:41.272	10728	11289	System.err	at org.apache.harmony.luni.net.PlainDatagramSocketImpl.create(PlainDatagramSocketImpl.java:1
W	01-01 16:43:41.272	10728	11289	System.err	at java.net.DatagramSocket.<init>(DatagramSocket.java:573)
W	01-01 16:43:41.272	10728	11289	System.err	at java.net.MulticastSocket.<init>(MulticastSocket.java:539)
W	01-01 16:43:41.272	10728	11289	System.err	at de.avm.android.fritzapp.com.discovery.FritzBoxDiscoveryListener.startMultiCastSocket(Frit
W	01-01 16:43:41.272	10728	11289	System.err	at de.avm.android.fritzapp.com.discovery.FritzBoxDiscoveryListener.startDevicesListenerThres
W	01-01 16:43:41.272	10728	11289	System.err	at de.avm.android.fritzapp.com.discovery.FritzBoxDiscoveryListener.registerResultsHandler(Fr
W	01-01 16:43:41.272	10728	11289	System.err	at de.avm.android.fritzapp.com.discovery.FritzBoxDiscovery.discoverDevices(FritzBoxDiscovery
W	01-01 16:43:41.272	10728	11289	System.err	at de.avm.android.fritzapp.com.discovery.FritzBoxDiscovery.discover(FritzBoxDiscovery.java:1
W	01-01 16:43:41.272	10728	11289	System.err	at de.avm.android.fritzapp.com.discovery.BoxFinder\$SsdpDiscoveryRunnable.run(BoxFinder.java:
W	01-01 16:43:41.282	10728	11289	System.err	at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:444)
W	01-01 16:43:41.282	10728	11289	System.err	at java.util.concurrent.FutureTask\$Sync.innerRun(FutureTask.java:306)

Saved Filters All messages (no filters)

<events.txt> Search for messages. Accepts Java regexes. Prefix with pid:, tag: or

TID	Tag	Text
88 9893	am proc bound	[11265,com.android.deskclock]
88 9888	am kill	[10769,com.cooliris.media,12,too many background]
88 1...	am proc died	[10769,com.cooliris.media]
.. 1...	db sample	[/data/data/com.huawei.netassistant/databases/hwmet
.. 1...	dvm gc info	[7523671600609166959,-8944001558143682511,-40080573
88 1...	am proc start	[11272,10026,com.example.android.notepad,content pr
.. 1...	dvm gc madvi...	[790528,552960]
88 1...	am proc died	[10841,com.google.android.gms]
.. 1...	force gc	bg
88 9889	dvm gc madvi...	[1265664,552960]
.. 1...	dvm gc madvi...	[790528,552960]
88 1...	am proc bound	[11272,com.example.android.notepad]
.. 1...	dvm gc info	[7954892278710756901,-9025911051328362452,-40094647
.. 1...	dvm gc madvi...	[651264,552960]
.. 1...	dvm gc madvi...	[671744,552960]
88 9916	battery level	[61,3997,340]
.. 1...	dvm gc info	[7382078688197617251,-8954134863530878931,-40091832
.. 1...	dvm gc madvi...	[712704,552960]
88 9945	watchdog	com.android.server.am.ActivityManagerService
88 1...	dvm gc info	[8320808730291955508,-8925414999038183276,-39652732
88 9889	dvm gc info	[8320808730291897220,-9180149646752565097,-39644287
88 1...	dvm gc info	[8320808730291896320,-9223215318189295465,-39644287
88 9889	dvm gc info	[8320808730291892224,-9223215180716787560,-39641473
88 1...	dvm gc info	[8320808730291897910,-9221526330856523628,-39652732
.. 1...	binder sample	[android.app.IActivityManager,34,40165,android.proc
.. 1...	db sample	[/data/data/com.huawei.netassistant/databases/hwmet

Saved Filters All messages (no filters)

<radio.txt> Search for messages. Accepts Java regexes. Prefix with pid:, tag: or

PID	TID	Tag	Text
35:3...	9962	9962	RILJ [0435]> OPERATOR
35:3...	9962	1...	RILJ [0434]< DATA REGISTRATION STATE {1,c703,
35:3...	9962	1...	RILJ [0435]< OPERATOR {o2 - de, o2 - de, 2620
35:3...	9962	1...	RILJ [0433]< QUERY NETWORK SELECTION MODE {1
35:3...	9962	9962	GSM NITZ: 13/01/01,15:36:06+04,00,17430747 s
35:3...	9962	9962	GSM getNitzTimeZone returning Africa/Algiers
35:3...	9962	9962	GSM Poll ServiceState done: oldSS=[1 home r
35:3...	9962	9962	GSM RAT switched 0 -> 2 at cell 9238
35:3...	9962	9962	GSM Network State Changed, get EONS and upda
35:3...	9962	9962	GSM [EONS] Fetched EONS name from EF PNN rec
35:3...	9962	9962	GSM eonsLong =FONIC
35:3...	9962	9962	GSM before setprop, the long ons is =o2 - de
35:3...	9962	9962	GSM spn display: rule =2, spn =null, plmn =
35:3...	9962	9962	GSM spn display: rule =2, spn =null, plmn =
35:3...	9962	9962	RILJ [0436]> SET CLIR 0
35:3...	9962	9962	RILJ [0437]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	RILJ [0436]< SET CLIR
35:4...	9962	1...	RILJ [0437]< REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	9962	RILJ [0438]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	RILJ [0438]< REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	9962	RILJ [0439]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	RILJ [0439]< REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	9962	RILJ [0440]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	RILJ [0440]< REQUEST GET NEIGHBORING CELL IDS
42:2...	9962	9962	RILJ [0441]> SCREEN STATE: false
42:2...	9962	1...	RILJ [0441]< SCREEN STATE

# Watchdog kann Stack von TID xy nicht öffnen

The image displays three screenshots of the Android Studio logcat interface, illustrating a watchdog error where a stack cannot be opened for a specific TID.

**Top Screenshot (main.txt):** Shows a search for messages. The log entries include:

Level	Time	PID	TID	Tag	Text
W	01-01 16:43:41.312	10728	11291	System.err	at de.avm.android.fritzapp.com.Tr064Boxinfo.downloadAsInputSource(Tr064Boxinfo.java:374)
W	01-01 16:43:41.312	10728	11291	System.err	at de.avm.android.fritzapp.com.Tr064Boxinfo.<init>(Tr064Boxinfo.java:229)
W	01-01 16:43:41.312	10728	11291	System.err	... 8 more
D	01-01 16:43:41.422	10728	10728	BoxFinder	discovered 0 usable boxes
D	01-01 16:43:41.422	10728	10728	BoxService	CheckConnectionTask.onPostExecute() - FRITZBOX MISSING
D	01-01 16:43:41.422	10728	10728	BoxService	refreshComStatus()
D	01-01 16:43:41.432	10728	10728	ComLock	refresh()
D	01-01 16:43:41.432	10728	10728	ComStatus	refresh() - boxInfo == null, LastError == FRITZBOX MISSING, SipState == 0
D	01-01 16:43:41.432	10728	10728	ComStatus	mUdn == null, mHasError = false, mSipState == 0
D	01-01 16:43:41.432	10728	10728	ComStatus	udn == null, hasError = false, sipState == 0
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9888 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9889 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9890 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9891 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9892 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9893 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9894 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9895 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9896 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9897 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9898 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9900 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9902 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9903 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9904 : 13 (Permission denied)
E	01-01 16:44:01.541	9888	9945	Watchdog N	Unable to open stack of tid 9909 : 13 (Permission denied)

**Bottom Left Screenshot (events.txt):** Shows a search for messages. The log entries include:

TID	Tag	Text
9893	am proc bound	[11265,com.android.deskclock]
9888	am kill	[10769,com.cooliris.media,12,too many background]
1...	am proc died	[10769,com.cooliris.media]
1...	db sample	[/data/data/com.huawei.netassistant/databases/hwmet...
1...	dvm gc info	[7523671600609166959,-8944001558143682511,-40080573...
1...	am proc start	[11272,10026,com.example.android.notepad,content pr...
1...	dvm gc madvi...	[790528,552960]
1...	am proc died	[10841,com.google.android.gms]
1...	force gc	bg
9889	dvm gc madvi...	[1265664,552960]
1...	dvm gc madvi...	[790528,552960]
1...	am proc bound	[11272,com.example.android.notepad]
1...	dvm gc info	[7954892278710756901,-9025911051328362452,-40094647...
1...	dvm gc madvi...	[651264,552960]
1...	dvm gc madvi...	[671744,552960]
9916	battery level	[61,3997,340]
1...	dvm gc info	[7382078688197617251,-8954134863530878931,-40091832...
1...	dvm gc madvi...	[712704,552960]
9945	watchdog	com.android.server.am.ActivityManagerService
1...	dvm gc info	[8320808730291955508,-8925414999038183276,-39652732...
9889	dvm gc info	[8320808730291897220,-9180149646752565097,-39644287...
1...	dvm gc info	[8320808730291896320,-9223215318189295465,-39644287...
9889	dvm gc info	[8320808730291892224,-9223215180716787560,-39641473...
1...	dvm gc info	[8320808730291897910,-9221526330856523628,-39652732...
1...	binder sample	[android.app.IActivityManager,34,40165,android.proc...
1...	db sample	[/data/data/com.huawei.netassistant/databases/hwmet...

**Bottom Right Screenshot (radio.txt):** Shows a search for messages. The log entries include:

PID	TID	Tag	Text
35:3...	9962	RILJ	[0435]> OPERATOR
35:3...	9962	1...	[0434]< DATA REGISTRATION STATE {1,c703,
35:3...	9962	1...	[0435]< OPERATOR {o2 - de, o2 - de, 2620
35:3...	9962	1...	[0433]< QUERY NETWORK SELECTION MODE {1}
35:3...	9962	GSM	NITZ: 13/01/01,15:36:06+04,00,17430747 s
35:3...	9962	GSM	getNitzTimezone returning Africa/Algiers
35:3...	9962	GSM	Poll ServiceState done: oldSS=[1 home r
35:3...	9962	GSM	RAT switched 0 -> 2 at cell 9238
35:3...	9962	GSM	Network State Changed, get EONS and upda
35:3...	9962	GSM	[EONS] Fetched EONS name from EF PNN rec
35:3...	9962	GSM	eonsLong =FONIC
35:3...	9962	GSM	before setprop, the long ons is =o2 - de
35:3...	9962	GSM	spn display: rule =2, spn =null, plmn =
35:3...	9962	GSM	spn display: rule =2, spn =null, plmn =
35:3...	9962	RILJ	[0436]> SET CLIR 0
35:3...	9962	RILJ	[0437]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	[0436]< SET CLIR
35:4...	9962	1...	[0437]< REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	RILJ	[0438]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	[0438]< REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	RILJ	[0439]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	[0439]< REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	RILJ	[0440]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	[0440]< REQUEST GET NEIGHBORING CELL IDS
42:2...	9962	RILJ	[0441]> SCREEN STATE: false
42:2...	9962	1...	[0441]< SCREEN STATE

# Watchdog killed Systemprozess

Saved Filters + -

All messages (no filters)

<main.txt> Search for messages. Accepts Java regexes. Prefix with pid:, tag: or text: to limit scope.

Level	Time	PID	TID	Tag	Text
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10010 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10012 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10028 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10036 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10038 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10039 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10042 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10057 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10066 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10067 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10260 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10550 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10551 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10764 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10765 : 13 (Permission denied)
E	01-01 16:44:01.562	9888	9945	Watchdog N	Unable to open stack of tid 10827 : 13 (Permission denied)
D	01-01 16:44:03.243	9962	10707	SntpClient	request time failed: java.net.UnknownHostException: time.nist.gov
I	01-01 16:44:03.243	9962	10707	DATA	require time error,requestCount=6
W	01-01 16:44:06.026	9888	9945	Watchdog	*** WATCHDOG KILLING SYSTEM PROCESS: com.android.server.am.ActivityManagerService
I	01-01 16:44:06.066	11253	11259	ActivityThread	Removing dead content provider: settings
I	01-01 16:44:06.066	11173	11180	ActivityThread	Removing dead content provider: settings
I	01-01 16:44:06.066	11182	11194	ActivityThread	Removing dead content provider: settings
I	01-01 16:44:06.066	10970	10976	ActivityThread	Removing dead content provider: settings
I	01-01 16:44:06.066	10880	10885	ActivityThread	Removing dead content provider: settings
I	01-01 16:44:06.066	10778	10784	ActivityThread	Removing dead content provider: settings
I	01-01 16:44:06.076	10667	10673	ActivityThread	Removing dead content provider: settings

Saved Filters +

All messages (no filters)

<events.txt> Search for messages. Accepts Java regexes. Prefix with pid:, tag: or

	TID	Tag	Text
88	9893	am proc bound	[11265,com.android.deskclock]
88	9888	am kill	[10769,com.cooliris.media,12,too many background]
88	1...	am proc died	[10769,com.cooliris.media]
..	1...	db sample	[/data/data/com.huawei.netassistant/databases/hwmet...
..	1...	dvm gc info	[7523671600609166959,-8944001558143682511,-40080573...
88	1...	am proc start	[11272,10026,com.example.android.notepad,content pr...
..	1...	dvm gc madvi...	[790528,552960]
88	1...	am proc died	[10841,com.google.android.gms]
..	1...	force gc	bg
88	9889	dvm gc madvi...	[1265664,552960]
..	1...	dvm gc madvi...	[790528,552960]
88	1...	am proc bound	[11272,com.example.android.notepad]
..	1...	dvm gc info	[7954892278710756901,-9025911051328362452,-40094647...
..	1...	dvm gc madvi...	[651264,552960]
..	1...	dvm gc madvi...	[671744,552960]
88	9916	battery level	[61,3997,340]
..	1...	dvm gc info	[7382078688197617251,-8954134863530878931,-40091832...
..	1...	dvm gc madvi...	[712704,552960]
88	9945	watchdog	com.android.server.am.ActivityManagerService
88	1...	dvm gc info	[8320808730291955508,-8925414999038183276,-39652732...
88	9889	dvm gc info	[8320808730291897220,-9180149646752565097,-39644287...
88	1...	dvm gc info	[8320808730291896320,-9223215318189295465,-39644287...
88	9889	dvm gc info	[8320808730291892224,-9223215180716787560,-39641473...
88	1...	dvm gc info	[8320808730291897910,-9221526330856523628,-39652732...
..	1...	binder sample	[android.app.IActivityManager,34,40165,android.proc...
..	1...	db sample	[/data/data/com.huawei.netassistant/databases/hwmet...

Saved Filters +

All messages (no filters)

<radio.txt> Search for messages. Accepts Java regexes. Prefix with pid:, tag: or

	PID	TID	Tag	Text
35:3...	9962	9962	RILJ	[0435]> OPERATOR
35:3...	9962	1...	RILJ	[0434]< DATA REGISTRATION STATE {1,c703,
35:3...	9962	1...	RILJ	[0435]< OPERATOR {o2 - de, o2 - de, 262C
35:3...	9962	1...	RILJ	[0433]< QUERY NETWORK SELECTION MODE {1
35:3...	9962	9962	GSM	NITZ: 13/01/01,15:36:06+04,00,17430747 s
35:3...	9962	9962	GSM	getNitzTimeZone returning Africa/Algiers
35:3...	9962	9962	GSM	Poll ServiceState done: oldSS=[1 home r
35:3...	9962	9962	GSM	RAT switched 0 -> 2 at cell 9238
35:3...	9962	9962	GSM	Network State Changed, get EONS and upds
35:3...	9962	9962	GSM	[EONS] Fetched EONS name from EF PNW rec
35:3...	9962	9962	GSM	eonsLong =FONIC
35:3...	9962	9962	GSM	before setprop, the long ons is =o2 - de
35:3...	9962	9962	GSM	spn display: rule =2, spn =null, plmn =
35:3...	9962	9962	GSM	spn display: rule =2, spn =null, plmn =
35:3...	9962	9962	RILJ	[0436]> SET CLIR 0
35:3...	9962	9962	RILJ	[0437]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	RILJ	[0436]< SET CLIR
35:4...	9962	1...	RILJ	[0437]< REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	9962	RILJ	[0438]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	RILJ	[0438]< REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	9962	RILJ	[0439]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	RILJ	[0439]< REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	9962	RILJ	[0440]> REQUEST GET NEIGHBORING CELL IDS
35:4...	9962	1...	RILJ	[0440]< REQUEST GET NEIGHBORING CELL IDS
42:2...	9962	9962	RILJ	[0441]> SCREEN STATE: false
42:2...	9962	1...	RILJ	[0441]< SCREEN STATE





# Weitere Crashlogs...

<div> <div>Saved Filters</div> <div> <div>+</div> <div>-</div> <div></div> </div> <div>All messages (no filters)</div> </div> <div> <div>&lt;alogrec.2012-12-28-08-51-35.log&gt;</div> <div>Search for messages. Accepts Java regexes. Prefix with pid:, tag: or text: to limit scope.</div> <div> <div>V</div> <div>D</div> <div>I</div> <div>W</div> <div>E</div> <div>H</div> <div></div> </div> </div>					
Level	Time	PID	TID	Tag	Text
I	?	2752	?	ActivityThread	Removing dead content provider: settings
I	?	2619	?	ActivityThread	Removing dead content provider: settings
I	?	2435	?	ActivityThread	Removing dead content provider: settings
I	?	2397	?	ActivityThread	Removing dead content provider: settings
I	?	750	?	ActivityThread	Removing dead content provider: settings
I	?	599	?	ActivityThread	Removing dead content provider: settings
D	?	1397	?	WidgetUtils	sendRestartWidgetServer
D	?	750	?	Utils	isDataOK
D	?	750	?	Utils	dataOverdue
D	?	750	?	WidgetUtils	updateWeatherInfo temperature =7.7777777,timel356597451863,weatherDes=Cloudy,invalidDay=1
D	?	1397	?	WeatherMediumWidg...	WeatherWidgetView handleMessage msg.what=2001
D	?	1397	?	WidgetUtils	sendRestartWidgetServer
D	?	1397	?	WeatherMediumWidg...	WeatherWidgetView handleMessage msg.what=2001
D	?	1397	?	WidgetUtils	sendRestartWidgetServer
D	?	750	?	WidgetUtils	updateWeatherInfo weatherDayDataInfo =HighTemperature =5.0 LowTemperature =1.6666666 Weather
E	?	2619	?	k9	synchronizeMailbox
E	?	2619	?	k9	com.fsck.k9.mail.store.UnavailableStorageException: StorageProvider not ready
E	?	2619	?	k9	at com.fsck.k9.mail.store.StorageManager.lockProvider(StorageManager.java:740)
E	?	2619	?	k9	at com.fsck.k9.mail.store.LockableDatabase.lockRead(LockableDatabase.java:183)
E	?	2619	?	k9	at com.fsck.k9.mail.store.LockableDatabase.execute(LockableDatabase.java:272)
E	?	2619	?	k9	at com.fsck.k9.mail.store.LocalStore\$LocalFolder.updateFolderColumn(LocalStore.java:1385)
E	?	2619	?	k9	at com.fsck.k9.mail.store.LocalStore\$LocalFolder.setLastChecked(LocalStore.java:1334)
E	?	2619	?	k9	at com.fsck.k9.controller.MessagingController.synchronizeMailboxSynchronous(MessagingControl
E	?	2619	?	k9	at com.fsck.k9.controller.MessagingController.access\$400(MessagingController.java:82)
E	?	2619	?	k9	at com.fsck.k9.controller.MessagingController\$8.run(MessagingController.java:783)
E	?	2619	?	k9	at com.fsck.k9.controller.MessagingController.run(MessagingController.java:245)
E	?	2619	?	k9	at java.lang.Thread.run(Thread.java:1019)
W	?	750	?	dalvikvm	threadid=1: thread exiting with uncaught exception (group=0x4001d560)
E	?	105	?	installD	eof
E	?	105	?	installD	failed to read size
E	?	2619	?	k9	Could not set last checked on folder [REDACTED]@gmx.de (Imap):EntwÄhrfe
E	?	2619	?	k9	com.fsck.k9.mail.store.UnavailableStorageException: StorageProvider not ready
E	?	2619	?	k9	at com.fsck.k9.mail.store.StorageManager.lockProvider(StorageManager.java:740)
E	?	2619	?	k9	at com.fsck.k9.mail.store.LockableDatabase.lockRead(LockableDatabase.java:183)
E	?	2619	?	k9	at com.fsck.k9.mail.store.LockableDatabase.execute(LockableDatabase.java:272)
E	?	2619	?	k9	at com.fsck.k9.mail.store.LocalStore\$LocalFolder.updateFolderColumn(LocalStore.java:1385)
E	?	2619	?	k9	at com.fsck.k9.mail.store.LocalStore\$LocalFolder.setL

E	?	3289	?	Watchdog N	Unable to open stack of tid 3460 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3467 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3470 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3482 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3483 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3484 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3485 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3486 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3487 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3488 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3489 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3490 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3509 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3510 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3731 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3732 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3739 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3753 : 13 (Permission denied)
E	?	3289	?	Watchdog N	Unable to open stack of tid 3754 : 13 (Permission denied)
W	?	3289	?	Watchdog	*** WATCHDOG KILLING SYSTEM PROCESS: com.android.server.am.ActivityManagerService
I	?	5537	?	ActivityThread	Removing dead content provider: settings
I	?	5377	?	ActivityThread	Removing dead content provider: settings
I	?	5184	?	ActivityThread	Removing dead content provider: settings
W			?	UNKNOWN FORMAT	I

W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
W	?	2193	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=57, status=0). CPU may be pegged. trying
W	?	259	?	SharedBufferStack	waitForCondition(LockCondition) timed out (identity=2, status=0). CPU may be pegged. trying
I	?	601	?	3gw.Service	Mobile Network not connected - not roa

I	?	9230	?	ActivityThread	Removing dead content provider: settings
I	?	11329	?	ActivityThread	Removing dead content provider: settings
I	?	9170	?	ActivityThread	Removing dead content provider: settings
I	?	4298	?	ActivityThread	Removing dead content provider: settings
E	?	11436	?	ActivityThread	Failed to find provider info for com.android.contacts
E	?	11392	?	ActivityThread	Failed to find provider info for subscribedfeeds
W	?	4211	?	Zygote	IOException on command socket Connection reset by peer
E	?	105	?	installld	eof
E	?	105	?	installld	failed to read size
E	?	4278	?	InputQueue-JNI	channel '409a7e40 StatusBar (client)' ~ Publisher closed input channel or an error occurred.
E	?	4278	?	InputQueue-JNI	channel '408c5e88 TrackingView (client)' ~ Publisher closed input channel or an error occurred.
E	?	4278	?	InputQueue-JNI	channel '40a2a088 StatusBarExpanded (client)' ~ Publisher closed input channel or an error occurred.
E	?	4293	?	InputQueue-JNI	channel '40b28cb0 InputMethod (client)' ~ Publisher closed input channel or an error occurred.
E	?	4298	?	InputQueue-JNI	channel '40c65b80 com.android.contacts/com.android.contacts.DialtactsActivity (client)' ~ Publisher closed input channel or an error occurred.
E	?	4299	?	InputQueue-JNI	channel '40daad58 com.android.phone/com.android.phone.InCallScreen (client)' ~ Publisher closed input channel or an error occurred.
E	?	10241	?	InputQueue-JNI	channel '40e13bf0 com.gau.go.launcherex/com.jiubang.ggheart.apps.desks.diy.GoLauncher (client)' ~ Publisher closed input channel or an error occurred.
W	?	11392	?	dalvikvm	threadid=9: thread exiting with uncaught exception (group=0x4001d560)
I	?	4315	?	GTalkService	[GTalkConnection.12] connectionEstablished: release wakelock
W	?	4315	?	GTalkService	[GTalkConn] releaseAsyncWakeLock: mAsyncConnWakeLock.isHeld = false
I	?	4315	?	GTalkService	[GTalkConnection.12] releaseAsyncWakeLock: clear timer: WakeLock{4071cb60 held=false, refCount=1}
W			?	UNKNOWN FORMAT	I/G

E	?	11483	?	Watchdog N	Unable to open stack of tid 12585 : 13 (Permission denied)
E	?	11483	?	Watchdog N	Unable to open stack of tid 12586 : 13 (Permission denied)
E	?	11483	?	Watchdog N	Unable to open stack of tid 12587 : 13 (Permission denied)
E	?	11483	?	Watchdog N	Unable to open stack of tid 12588 : 13 (Permission denied)
E	?	11483	?	Watchdog N	Unable to open stack of tid 13928 : 13 (Permission denied)
W	?	11483	?	Watchdog	*** WATCHDOG KILLING SYSTEM PROCESS: com.android.server.am.ActivityManagerService
I	?	12647	?	ActivityThread	Removing dead content provider: settings
I	?	11539	?	ActivityThread	Removing dead content provider: settings
I	?	101	?	DEBUG	*** **
I	?	101	?	DEBUG	Build fingerprint: 'Huawei/U8860/hwu8860:2.3.6/HuaweiU8860/DEUC00B870:user/ota-rel-keys,release-keys'
I	?	101	?	DEBUG	pid: 11472, tid: 11472 >>> zygote <<<
I	?	101	?	DEBUG	signal 6 (SIGABRT), code 0 (?), fault addr 00002cdb
I	?	101	?	DEBUG	r0 fffffdfff r1 00000000 r2 00000000 r3 00000000
I	?	101	?	DEBUG	r4 bebel838 r5 aca9659c r6 00002711 r7 00000002
I	?	101	?	DEBUG	r8 00000000 r9 00000000 10 405151c0 fp 00000000
I	?	101	?	DEBUG	ip aca967d8 sp bebel778 lr afd25335 pc afd0af9c cpsr 60000010
I	?	101	?	DEBUG	d0 40515160405150c8 d1 002e00700070004f
I	?	101	?	DEBUG	d2 0069007400630051 d3 0